

Bathero Sanitary LLP.

Factory 66 KVA Sub Station Road, At. Unchi Mandal, Morbi-Halvad Highway, Morbi - 363 642 (Gujarat) INDIA.

e: | info@bathero.in, sales@bathero.in | w: | www.bathero.in | c: +91-97121 55000







BATHERO Group is one of the leading company for sanitary ware manufacturers with a history of producing high end and innovative products. we based in Morbi with our own manufacturing plant over 33675 Sq.Mtr. Our focus is to designing concepts and customization to give shape of innovative and perfect products.

The extensive product range with quality and design to match the global standards is a vision of BATHERO. Latest technology coupled with highly trained and innovative expert team drive us towards innovative products which full fill desires of our customers.

Our commitment of continuous improvement in quality touches every aspect of our products, services and customer support.

Our Designing Creativity

The miniature of classic design and expression to practicability.

Our High End Products

The customization and craftsmanship of products makes you a comfort experience.

Our Quick Service

one stop service, with exclusive sales around the globe. our products comes with 10 years of warranty.

Our Ultimate Target

Our target is to be the best of the best sanitary ware manufacturer.





COMBINING INNOVATIVE TECHNOLOGY AND CLEAR AESTHETIC DESIGN.


















Sanglaze 2.3 Technology

Nano Bio matters technology is an innovative for sanitary ware. Sanitary ware pieces will have long lasting protection combined with the best hygienic Conditions. San glaze-2 unity forming 3 of molecular atomic packing with 3.85 E +03 Formula, with antimicrobial activity Reduction 2.77 and microbial 100% Reduction with the test method of (JIS 2801:2010) after just 3 Hours 90% of bacteria are effectively killed. After 12 Hours its percentage Rises to 99.99% San glaze Arrest the bacterial growth compared with conventional ceramic glazing.

Nano Surface Self Cleaning Glaze Technology

Hydrophobia and Hydrophilia, The more Wettable a solid body is the more water released on to it by a water drop. The reason for this is the ratio of the inter facial tension between liquid and surface. The Degree of Wettability is determined physically by the contact angle. on every Wettable surface fluids dissolve in to a fine Hydrophilia. The contact angle in this case "0" Degree if the water forms an entirely spherical drop which only has one point of contact with the surface then the theoretical contact angle is 180 Degrees, which how ever doe's not occur in nature.

Corrosion Free Glaze Technology

Chemical durability is related to the crystalline phase on the glaze surfaces.

Cleaning degree of traditional glaze surfaces consisting of different crystalline phases embedded in a glassy phase depends rather on surface micro and macro roughness than chemical composition of phase in surface.

The component of glaze surface lead to surface pitting in alkaline detergent solutions, typically used for cleaning of everyday glaze surfaces.

The surface detergent degradation leads to decrease clean ability and also accumulate the soil and corrosion on the surface.

The version of our glaze will increase the surface glossiness and easy cleaning with the help of Tio2 and caco3 which will leads the surface clearance and chemical resistance of day to day cleaning alkaline substances which was documented in ISI ANNEX-B clause 9.5 and ANNEX-C clause 9.6.

EVERYDAY LIVING WITH AUTHENTIC DESIGN

wall hung basin (25003) L460 W410 H380

one piece closet (21003) L665 W360 H815 (S Trap -200mm) (Seat Cover - 9003)





BATHERO A NEXA







nexa

wall hung closet (11003) L545 W345 H345 (Seat Cover - 9003)



latra

table top basin (31018) L450 W450 H130



NEXA - LATRA







classic

one piece closet (21010) L715 W365 H685 (S Trap - 225mm / P Trap) (Seat Cover - 9010)







cube

one piece closet (21011) L650 W345 H690 (S Trap - 300mm) (Seat Cover - 9009)





 \triangle ETERNAL SAGADE ELEGANCE









wall hung basin (25004) L480 W430 H305





wall hung basin (25002) L500 W430 H395



TASTEFUL ELEVATED DESIGN







one piece closet (21005) L670 W365 H765 (S Trap - 100/225mm) (Seat Cover - 9005)







wall hung closet (11006) L530 W370 H415 (Seat Cover - 9002)

table top basin (31006) () L640 W435 H160



FUSION



EXPERIENCE ABSOLUTE COMFORT

table top basin (31021) L570 W295 H165

BATHERO A SPECTO







fabia

pedestal basin (51015) L610 W465 H865



one piece closet (21007) pedestal basin (51007) L685 W390 H765 L620 W460 H860 (S Trap - 225mm) (Seat Cover - 9001)







TORO

SMALL
THINGS
WITH A BIG
IMPACT



table top basin (31022) L425 W425 H130

BATHERO A CINDY









 cobio
 loras

 pedestal basin (51004)
 pedestal basin (51009)

 L570 W420 H860
 L560 W425 H850

 cello
 lava

 pedestal basin (51014)
 pedestal basin (51001)

 L445 W410 H845
 L565 W450 H825







pedestal basin (51004) L570 W420 H860

one piece closet (21004) L640 W360 H730 (S Trap - 100/225mm) (Seat Cover - 9001)

















table top basin (31004) L515 W415 H120

gloria

table top basin (31002)

L595 W370 H120







table top basin (31003) L550 W410 H105

lancel









anglo

EWC (61008) L520 W440 H405 (S/P Trap)

delos


wall hung closet (11004) L530 W360 H310 (Seat Cover - 9004)














classic EWC (61005) L485 W370 H400 (S/P Trap)











pedestal basin (51006) L570 W435 H850

classic pedestal basin (51010) L560 W430 H845

>

BATHERO







flero

table top basin (31023)L610 W390 H135

crystal

one piece closet (21008) L675 W365 H740 (S Trap - 100mm) (Seat Cover - 9004)









THE SIMPLICITY DF BEAUTY



sara

table top basin (31017) L460 W445 H165 _:b_

table top basin (51013) L420 W350 H170











loras

one piece closet (21009) L655 W350 H710 (S Trap - 225mm / P Trap) (Seat Cover - 9002)









cosimo

one piece closet (21002) L660 W350 H700 (S Trap - 225mm / P Trap) (Seat Cover - 9002)











PLEASURE FOR ALL THE SENSES



sen

wall hung closet (11005) L545 W350 H350 (Seat Cover - 9005)



slice

table top basin (31005) L600 W400 H100





yuga

pedestal basin (51011) L770 W500 H895





cerse

pedestal basin (51017) L590 W490 H945



RELAXATION AND ASENSE OF WELL-BEING





around

table top basin (31014) L430 W430 H155





table top basin (31007)
L640 W440 H115





SOPHISTICATED ELEGANCE IN A STYLE

half pedestal basin (51009) L560 W425 H470





half pedestal basin (51003) L495 W360 H560





FUSION









loras

wall hung closet (11009) L510 W350 H340 (Seat Cover - 9002)



vivo

table top basin (31011) L560 W370 H140



LORAS - VIVO





>

consile EWC (61006) L460 W340 H410 (S Trap)



zoro

wall hung closet (11007) L550 W350 H405 (Seat Cover - 9006)







EWC (61007) L470 W355 H410 (S Trap)



EFF0





table top basin (31019)

L420 W420 H115








table top basin (31016) L570 W400 H135



vintage

table top basin (31012)L470 W470 H120



table top basin (31015) L490 W310 H105







wall hung closet (11011) L495 W355 H365 (Seat Cover - 9007)









wall hung closet (11010) L540 W345 H360 (Seat Cover - 9006)







TRUE ELEGANCE IS TIMELESS











BATHERO

rome

pedestal basin (51005) L575 W455 H820





table top basin (31008)
L480 W375 H135

BATHERO A CROMA



elite

wall mounted basin (41014) L470 W330 H180

<

alfa

wall mounted basin (41011) L475 W360 H180

<

ano

wall mounted basin (41015) L360 W305 H180

<



wall mounted basin (41004) L400 W410 H100





holt

wall mounted basin (41010) L395 W295 H110





ge

wall mounted basin (41001) L365 W270 H135











vista

wall mounted basin (41012) L450 W340 H165



plazma

wall mounted basin (41005) L465 W355 H165



narco

wall mounted basin (41002) L460 W345 H210



5

wall mounted basin (41013) L510 W400 H205









rambo counter basin (35001) L560 W410 H200



kenna counter basin (35002) L615 W410 H185



marwel counter basin (35003) L725 W455 H160



AUNIQUE & EXCEPTIONAL





grace wall mounted basin (41008) L425 W285 H135






kenzo


wall mounted basin (41007) L420 W230 H120




wall mounted basin (41006) L300 W310 H90













Urinal (Ladies) pan (65003) L440 W350 H100













pan (61001) L510 W415 H185



wall mounted basin (41009) L350 W420 H140



wall mounted basin (41003) L405 W430 H200



large

ırinal (65002) ₋610 W380 H340



small

urinal (65001) L385 W305 H280



urinal (65004)













TIPS & CARE V

Bathero's cleaning and Maintenance Tips – to keep clean your bathroom might seem like a mean task, but if done regularly it will keep the bathroom not only clean but also germ free.

GENERAL MAINTENANCE TIPS

- The bathroom should be cleaned once a week and even more frequently if you are a large family.
- Make it a firm rule in your home to rinse out the tub or shower stall immediately after you use it.
- To discourage mildew growth in the bathroom, increase air circulation and light to decrease moisture.
- Always start cleaning the bathroom from the top and work your way to the floor.
- Install and properly maintain de humidifiers, vents and exhaust fans
- After handling soapy cleansers and cleaning solutions please make sure you wash your hands clean and wipe them dry.
- Ensure you wipe the bathroom floor dry with the help of a wiper every time after a bath, to prevent slipping and falling.
- Ensure that all electrical appliances in the bathroom, are installed away from direct sources of water

SANITARYWARE CARE

You can use strong cleansers available in the market to clean the toilet bowl. Apply the cleaning solution on the insides of the toilet and let it remain for 10 to 15 minutes. Then lightly scrub with a toilet scrubber and flush to clean. Do not use hard chemical solvent to clean the plastic toilet seats as they might damage the material. Use a mild soapy solution and scrub with a soft scrub to avoid leaving scouring marks. Wash off the seat with an anti-septic solution to disinfect it.

WASH BASIN

The wash basin is the most frequently used sanitary ware in the bathroom. It is important that it is kept clean at all times to insure it is bacteria free. It is advisable to gently scrub it clean after every use, or at least once a day. Readily available cleansers can be used. Even soap solution works well, but would require some scrubbing. Using an anti-septic solution is a good idea.

INTERNAL FITTING OF CISTERN

Accumulation of small stone parts, dust or sand comming through pipeline in water on inlet and outlet rubber diaphragms may result in to water leakage or malfunctioning of internal $flushing \ mechanism. in this \ situation \ all \ you \ have \ to \ do \ is \ open \ in let/outlet \ valve \ and \ clean \ diaphragms \ or \ replace \ them. We \ suggest \ you \ to \ use \ only \ genuine \ sparts \ only.$

INSTRUCTIONS ∨

WALL HUNG BASIN

Fixing: the rag should be first grouted into the wall using cement / concrete, (as shown) as per the distance between slots provided in the wash basin. The bolts should be fixed perpendicular to the wall. Allow cement / concrete to set. Check if the Rag bolts are firmly fixed. Fix the Wash Basin in the bolts using Nuts & Washer.

CONCEALED WALL HUNG

- If the wall is going to be plastered for a thickness of 12 and a tile thickness of 6-7, the of the bolts from the finished wall should be 66 only.
- If the thickness of plastering and tile is less than the dimensions mentioned above, the bolt that are supplied along with the bracket should be moved into the wall by using a suitable spacer washer between the bolt head and the bracket frame.
- The bracket should be buried into the floor so that the height from the center line of the bolt to the surface fo the finished floor is 320.

TAPS & FIXTURES

- Avoid using strong cleaning agents to clean taps and other metal fixtures like shower units and knob, these may damage not only the surface coating & affect the working of the product.
- Use mild cleaning to clean taps and other fixtures. Instead spray cleaner and rinse thoroughly with water
- Avoid using acids and bleaches of any kind as these can lead to significant damage
- A simple eco-friendly cleaner can be used safely for cleaning metal fixtures. Spray & let it remain on the faucet for 5 minutes and then wipe clean with a damp cloth.
- Inspect the taps for remaining stains, scum or grime. If more cleaning is needed, fill a plastic bowl with 1/2 cup of baking soda and 1/4 cup of white Vinegar.
- Scrub the tap with a nylon scrub to loosen dirt particles and wipe with a soft damp cotton cloth. Finally, wipe the taps dry for a sparkling finish. • It is also essential to keep the drainage pipes clean to prevent clogging. At least once a month clean up the drains to keep them free of grease, dirt, and hair. The mixture will foam up.
- Let stand for a few minutes then pour boiling water down the drain to wash down any clogging.
- To clean clogged showerheads, fill a plastic bag with undiluted white vinegar & submerge the showerhead in it. Secure the bag with a rubber band and leave it to soak overnight. The next day, scrub the shower with a toothbrush and wash it clean.

AVAILABLE COLOURS V









